## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings of claims in the application:

1. (Currently Amended) An automated identification methodology for assembling a document representation for subsequent viewing or printing of a given hyperdocument by gathering related hyperlinked page content comprising:

performing a page-level link analysis that identifies those hyperlinks on a page linking to a candidate document page;

performing a recursive application of the page-level link analysis to the linked candidate document page and any further nested candidate document pages thereby identified, until a collective set of identified candidate document pages is assembled:

examining the collective set of identified candidate document pages to weed out links which have properties that are not characteristic of intra-document links, to provide a resultant set of identified candidate document pages; and,

grouping the content found in the resultant set of candidate document pages into a document representation <u>stored in memory</u> for subsequent viewing or printing <u>by a user</u> of the given hyperdocument.

- 2. (Original) The method of claim 1 wherein the page-level link analysis includes retrieval of referenced pages.
- 3. (Original) The method of claim 1 wherein the page-level link analysis includes examination of contextual clues
- (Original) The method of claim 3 wherein the contextual clue is a particular class of content item associated with the hyperlink.
- 5. (Original) The method of claim 4 wherein the class of content item is a class of text

- 6. (Original) The method of claim 5 wherein the class of text is a directional word or phrase.
- (Original) The method of claim 4 wherein the class of content item is a class of image.
- 8. (Original) The method of claim 7 wherein the class of image is an image containing a directional symbol.
- (Original) The method of claim 4 wherein a textual clue is obtained for the image.
- 10. (Original) The method of claim 1 wherein the page-level link analysis includes the identification of progression links.
- 11. (Original) The method of claim 1 wherein the identification of hyperlinks includes determining the similarity of a hyperlink destination to the current page location.
- 12. (Original) The method of claim 1 wherein the identification of hyperlinks includes determining the similarity of hyperlink destination to that of other hyperlinks within the page.
- 13. (Original) The method of claim 1 wherein the page-level link analysis includes the identification of tables of contents.
- 14. (Original) The method of claim 13 wherein the identification is indicated by the presence of at least one other hyperlink nearby within the page description.
- 15. (Original) The method of claim 14 wherein the identification includes determining the similarity of the hyperlink destination to that of other hyperlinks within the page.

16. (Currently Amended) A system identification methodology for assembling a document representation for subsequent viewing or printing of a given hyperlinked document comprising:

performing a page-level link analysis that identifies those hyperlinks on a page linking to a candidate document page further comprising a methodology of:

identifying possible progression links, and;

identifying possible table of content links;

performing a recursive application of the page-level link analysis to the linked candidate document page and any further nested candidate document pages thereby identified, until a collective set of identified candidate document pages is assembled:

examining the collective set of identified candidate document pages to weed out links which have properties that are not characteristic of intra-document links, to provide a resultant set of identified candidate document pages; and,

grouping the resultant set of candidate document pages into a document representation <u>stored in memory</u> for subsequent viewing or printing <u>by a user</u> of the given hyperlinked document.

- 17. (Original) The method of claim 16 wherein the page-level link analysis includes examination of contextual clues.
- 18. (Original) The method of claim 17 wherein the contextual clue is a particular class of content item associated with the hyperlink.
- 19. (Original) The method of claim 18 wherein the class of content item is a class of text.
- (Original) The method of claim 19 wherein the class of text is a directional word or phrase.
- 21. (Original) The method of claim 18 wherein the class of content item is a class of image.

- 22. (Original) The method of claim 21 wherein the class of image is an image containing a directional symbol.
- 23. (Original) The method of claim 18 wherein a textual clue is obtained for the image.
- 24. (Original) The method of claim 16 wherein the identifying of table of content links includes detecting the presence of at least one other hyperlink nearby with the page description.
- 25. (Original) The method of claim 16 wherein the page-level link analysis includes determining the similarity of the hyperlink destination to that of other hyperlinks with the page.
- 26. (Original) The method of claim 16 wherein the page-level link analysis includes determining the similarity of the hyperlink destination to the location of the current page.

27. (Currently Amended) A system identification methodology for assembling a document representation for later viewing or printing of a given hyperlinked document comprising:

performing a page-level link analysis that identifies those hyperlinks on a page linking to a candidate document page further comprising a methodology of:

identifying possible progression links;

identifying possible table of content links, and;

examining the possible progression links and the possible table of content links for common characteristics;

performing a recursive application of the page-level link analysis to the linked candidate document page and any further nested candidate document pages thereby identified, until a collective set of identified candidate document pages is assembled:

examining the collective set of identified candidate document pages to weed out links which have properties that are not characteristic of intra-document links, to provide a resultant set of identified candidate document pages; and,

grouping the resultant set of candidate document pages into a document representation <u>stored in memory</u> for subsequent viewing or printing <u>by a user</u> of the given hyperlinked document..

- 28. (Original) The method of claim 27 wherein the page-level link analysis includes examination of contextual clues.
- 29. (Original) The method of claim 28 wherein the contextual clue is a particular class of content item associated with the hyperlink.
- 30. (Original) The method of claim 29 wherein the class of content item is a class of text.
- 31. (Original) The method of claim 30 wherein the class of text is a directional word or phrase.
- 32. (Original) The method of claim 29 wherein the class of content item is a class of image.

- 33. (Original) The method of claim 32 wherein the class of image is an image containing a directional symbol.
- 34. (Original) The method of claim 29 wherein a textual clue is obtained for the image.
- 35. (Original) The method of claim 27 wherein the identifying of table of content links includes detecting the presence of at least one other hyperlink nearby with the page description.
- 36. (Original) The method of claim 27 wherein the page-level link analysis includes determining the similarity of the hyperlink destination to that of other hyperlinks within the page.
- 37. (Original) The method of claim 27 wherein the page-level link analysis includes determining the similarity of the hyperlink destination to the location of the current page.